Appl. No.: Amdt. Dated: 5/26/2005

10/076,727 Off. Act. Dated: 2/3/2005

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- (Withdrawn) A micro-array device for determining adherence of selected cells contacting the device to a lipid membrane of the device, comprising:
 - a. an inert solid substrate;
 - b. a plurality of lipid membranes arrayed on said substrate in physically separate corrals defined by barriers on the substrate, each corral sized to contact a plurality of cells moving from corral to corral;
 - c. said lipid membranes forming, in each corral, a continuous, fluid sheet; and
 - d. dopant molecules, present within some but not all membrane sheets of the micro-array, each molecule movable within its sheet, said dopant molecules selected for cell adhesion properties that change the binding property of the lipid membrane towards the selected cell.
- (Withdrawn) The micro-array device of claim 1, wherein said dopant molecule is selected from the group consisting of:
 - a. lipids;
 - b. cell adhesion proteins of the immunoglobin superfamily; and
 - c. selectins.
- 3. (Withdrawn) The micro-array according to claim 2, further comprising a layer of water separating the substrate from the membranes.
- 4. (Withdrawn) The micro-array according to claim 3, further comprising means for immersing the micro-array within a mixture of cells and culture fluid.
- 5. (Withdrawn) The micro-array according to claim 1, wherein the membrane lipid is phosphatidylcholine.

Appl. No.: 10/076,727 Amdt. Dated: 5/26/2005 Off. Act. Dated: 2/3/2005

- 6. (Withdrawn)The micro-array according claim 1, wherein the membrane lipid and/or the dopant is selected from the group consisting of phosphatidylserine, dipalmitoylphosphatidic acid, distearcylphosphatidylglycerol, phosphatidylinositol, 1,2-dioleoyl-3-dimethylammonium-propane, 1,2-dioleoyl-3-trimethylammonium-propane, dimethyldioctadecylammonium bromide, 1,2-dioleoyl-sn-glycero-3-ethylphosphocholine, N-(7-nitrobenz-2-oxa-1,3-diazol-4-yl)-1,2-dihexadecanoyl-sn-glycero-3-phosphoethanolamine ammonium salt, and N-1,2-dihexadecanoyl-sn-glycero-3-phosphoethanolmine triethylammonium salt.
- (Original) A method for screening living cell adhesion on a solid substrate comprising:
 - a. contacting a cell suspension with a micro-array comprising an array of adjacent membrane corrals, membrane lipids and positively or negatively charged lipids; and
 - b. observing cell adhesion after a time period of at least one hour.
- 8. (Original) A method for determining the cell adhesion properties of a living adherent cell, comprising:
 - a. providing a micro-array device having a plurality of lipid bilayer membranes disposed on a solid substrate in corrals separated by a barrier material, said lipid bilayer membranes having different compositions in different corrals;
 - b. culturing a population of cells in said micro-array device; and
 - determining the adhesion of the cells to the lipid bilayer membranes in different corrals in response to said different compositions.
- (Original) The method according to claim 8, wherein the micro-array comprises
 membranes supported by a solid substrate, and wherein the membranes are
 doped with negatively or positively charged lipids.
- 10. (Original) The method according to claim 9, wherein the solid substrate is separated from the membranes by a water layer and further comprising a material separating individual membrane corrals to permit a lateral diffusion of lipids within

Appl. No.: 10/076,727 Amdt. Dated: 5/26/2005

Off. Act. Dated: 2/3/2005

each corral, thereby enabling use of different membrane compositions for different corrais.

- 11. (Original) The method according to claim 10, wherein the substrate is a micropatterned glass wafer.
- 12. (Original) The method according to claim 11, wherein the membrane is an eggphosphatidylcholine membrane.
- 13. (Currently Amended) The method according to claim 12, wherein the dopant lipid is selected from the group consisting of phosphatidylserine, dipalmitoylphosphatidic acid, distearoylphosphatidylglycerol, phosphatidylinositol, 1,2-dioleoyl-3-dimethylammonium-propane, 1,2-dioleoyl-3-trimethylammoniumpropane, dimethyldioctadecylammonium bromide, 1,2-dioleoyl-sn-glycero-3ethylphosphocholine, N-(7-nitrobenz-2-oxa-1,3-diazol-4-yl)-1,2-dihexadecanoylsn-glycero-3-phosphoethanolamine ammonium salt, and N-1,2-dihexadecanoyisn-glycero-3-phosphoethanolmine triethylammonium salt.
- 14. (Currently Amended) An assay to screen and observe differential cell adhesion of living cells to membranes comprising:
 - a. providing a micro-array of membranes in corrals displayed on a solid substrate, wherein the corrals contain membranes comprised of different compositions membrane composition elements of lipids, proteins, and other membrane-associated molecules; then
 - contacting and exposing a cell suspension with the membranes displayed on the micro-array and allowing a random diffusion of the living cells on the membrane: and
 - observing cell adhesion to the membranes over a time period.
- (Original) The assay according to claim 14, wherein the membrane composition elements are sufficiently small to allow the cells to randomly sample many membrane elements before adhering to one.

Appl. No.: 10/076,727 Amdt. Dated: 5/26/2005 Off, Act. Dated: 2/3/2005

- 16. (Currently Amended) The assay according to claim 15, wherein the membrane composition elements are approximately 1 micron to approximately 1 millimeter in size.
- 17. (Original) The assay according to claim 16, wherein the solid substrate of the micro-array is separated from the membranes by a water layer and further comprising a material separating membrane corrals, thereby permitting a lateral diffusion of membranes within each corral.
- 18. (Original) The assay according to claim 17, wherein the micro-array substrate is a micropatterned glass wafer.
- 19. (Original) The assay according to claim 17, wherein the lipid is selected from the group consisting of phosphatidylserine, dipalmitoylphosphatidic acid, distearcylphosphatidylglycerol, phosphatidylinositol, 1,2-dioleoyl-3-dimethylammonium-propane, 1,2 dioleoyl-3-trimethylammonium-propane, dimethyldioctadecylammonium bromide, 1,2-dioleoyl-sn-glycero-3-ethylphosphocholine, N-(7-nitrobenz-2-oxa-1,3-diazol-4-yl)-1,2-dihexadecanoyl-sn-glycero-3-phosphoethanolamine ammonium salt, and N-1,2-dihexadecanoyl-sn-glycero-3-phosphoethanolmine triethylammonium salt.
- 20. (Original) The assay according to claim 17, wherein the membrane is an eggphosphatidylcholine membrane.
- 21. (Withdrawn) A membrane bilayer surface comprised of: a plurality of phosphatidylserine-free small unilamellar vesicles that have been deposited on a membrane compatible surface to form a cell adhesion-free phospholipid bilayer surface.
- 22. (Withdrawn) The membrane bilayer surface of claim 21 wherein said cell adhesion-free phospholipid bilayer surface is an interior capillary wall of a microfluidic device to provide a cell adhesion-free microfluidic device.
- 23. (Withdrawn) A patterned surface comprised of:

Appl. No.: 10/076,727 Amdt. Dated: 5/26/2005 Off. Act. Dated: 2/3/2005

> a plurality of variously doped and undoped small unilamellar vesicles bonded to a membrane compatible surface in a pattern to form a patterned cell adhesion and non-cell-adhering phospholipid bilayer surface.

24. (Withdrawn) The patterned surface of claim 23 wherein said patterned cell adhesion and non-cell-adhering phospholipid bilayer surface is further measured to detect the presence, absence, or quantity of cells present on said surface.